TC02C

1:10 SCALE 2WD ELECTRIC COMPETITION BUGGY



Team C

Notice

Thank you for purchasing this TC02C Competition Buggy by Team C. This manual shows instructions and tips to built and maintain your TC02C. Please take some time to read through to get familiar with the shown steps.
We continually improve our products, due to that, actual parts my be different to the illustrations. Please check our website for the latest versions manuals and tips before you start to built this model.

This manual is written in english language only. If you need a manual in your language please visit our website or contact your distributor!

Diese Anleitung wurde in englischer Sprache verfasst. Sollten sie eine Anleitung in ihrer Sprache benötigen, besuchen sie unsere website oder konaktieren sie ihren Vertriebsagenten.

Questo manuale è stato scritto in inglese. Se avete bisogno del manuale nella tua lingua, si prega di visitare il nostro sito web o contattate il proprio distributore.

Este manual está escrito en Inglés. Si necesita el manual en su idioma, por favor visite nuestro sitio web o contacte con su distribuidor.

Ce manuel est écrit en langue anglaise. Si vous avez besoin d'un manuel dans votre langue s'il vous plaît visitez notre site web ou contactez votre distributeur!

Deze handleiding is geschreven in het Engels taal beschikbaar. Als u een handleiding in uw eigen taal kunt u terecht op onze website of neem contact op met uw distributeur!

Generall Information

THIS IS NOT A TOY!
Not suitable for children under 14 years of age without adult supervision.

This is a high performance vehicle, for safety reason don’t run on public streets, in crowded areas, environmentally areas or near children or animals.

This model contains rotationg parts and parts which become hot during operation. Care must been taken to avoid damage or injuries.

This product may require some assembly and routine maintance.

This product is covered by warranty based on material defectives. Crash damage or maintenance failures are not covered under warranty.

Batteries should be used in good condition only, and need to be fully charged.


Nitro models should be driven outside of buildings only. Inhaling exhaust gases could cause health damage.

Keep chemicals stored out of the range of small children.

Make sure your model and equipment is in perfect condition before you use it, to ensure savety and fun while driving.

Transmitter Preparation

Power Switch



Antenna


Extend the antenna to the maximum
Length for best performance

27MHzTransmitter Crystal（TX）

Transmitter crystal(TX)



Receiver crystal(RX)



The crystal can be replaced to change frequencies.
Note : You must also change receiver crystals!
Do not use AM crystals


Battery Level Indicator



Good Batteries




Low Batteries(Light Blinks)



Reverse Switch
反向开关

! Servo Factory Settings



To be used for throttle operation

Throttle Trigger

1 Steering Trim




To be used for trimming the steering operation

2 Throttle Trim



To be used for trimming the throttle operation

4 3ch Switch



This switch is used for optional parts.

3 Steering Dual Rate




To be used to adjust steering servo throw


Transmitter Battery Installation


Open battery cover at the bottom of transmitter.
Install batteries. Follow the direction of batteries designated in the inside of battery box.

Battery Cover



8X AA Alkaling Batteries






Transmitter Preparation

A new Ni-MH battery must be charged before it is used.Refer to the charger instruction manual for charging.

Set up the radio control system as indicated below.



● Start


1 Install batteries.(Transmitter)
2 Extend the antenna.(Transmitter)
3 Connect the battery
4 Extend the antenna.(Reveiver)
5 Center the trims.
6 Switch on.(Transmitter)
7 Switch on.(Reveiver)
8 Make sure the servos are in command.

● Finish

9 Switch off.(Reveiver)
10 Switch off.(Transmitter)
11 Retract the antenna(Transmitter)

Tools required

● Needie Nose Pllers



● Awl




● Grease



● Screw Cement



● ***H162***
Instant Glue




● Differential Grease

● Molybdenum Grease(Black)




● ***H154***
Body Reamer



No need to pre-drill precise holes
(1mm to 15mm)can be drilled


● Wire Cutters



● Sharp Hobby knife




● ***H096***
ROUND CUTTER




For trimming bodies!


● Hex Wrench



● Hex Wrench



1 Front Suspension




T02056 2.3 E-ring ……4

T02056 3x34.5 Hinge pin front inner ……2

L/R

2 Front Suspension




T02083 M3x15 Screw ……4

T02092 Ball stud-Long ……2

L/R Assemble both Left and Right
组装左和右

3 Buffer




T02043 4.0 E-ring ……1

T02080 3x6x2.5 Ball Bearing ……4

T02061 Ball stud-Silvery ……1

4 Buffer 缓冲




T02044 4.5x5.4 Block Carrier ……2

T02044 M3x10 Screw ……2

T02093 Ball stud-Short ……2


T02044 3x7x0.8 Washer ……2

5 Front Suspension



T02082 M3x10 Screw ……2

6 Front Suspension



L/R

T02100 5x10x4 ball bearing ……4

T02042 2x9.8 Shaft ……2

T02054 2.3 E-ring ……8


T02042 4.0 E-ring ……2

T02054 3x27.5 Hinge pin front outer ……4

T02093 Ball stud - short ……4

L/R Assemble both Left and Right


7 Front Suspension




T02029 4.8mm Ball End(Long) 8

T02091 3x54 Turnbuckle 4

8 Front Suspension



9 Front Suspension



T02082 M3x22 Screw 2


T02082 M3x10 Screw 4

T02063 5mm Ball stud 2

1:1 True-to -scale diagram

x2 Assemble as many times as specified

10 Differential



T02049 17x23x1 Washer ……2

T02099 10x15x4 ball bearing ……2


T02098 5x8x2.5 ball bearing ……2

T02048 2.37mm Ball ……12

T02007 M2.5 Nylon Nut ……1

T02007 M2.5x25 Screw ……1

11 Transmission



T02082 M3x12 Screw ……1


T02051 5x16.8 Idler gear shaft ……1

T02041 5x8 Top shaft spacer ……1

T02100 5x10x4 Contain oil ball bearing ……6


Apply grease

12 Rear Chassis
后底盘



T02082 M3x12 Screw
M3x12螺丝
.....4

13 Motor Mount
马达固定座



T02082 M3x10 Screw
M3x10螺丝
.....1


T02082 M3x27 Screw
M3x27螺丝
.....3

Apply threadlocker(screw cement)
打螺丝胶水

14 Spur Gear

T02084 M4 Flanged Nylon Nut ……1

T02211 5x7 Top shaft spacer ……1




15 Motor

T02053 M3x3 Screw ……1

T02083 M3x8 Screw ……2

T02081 3x7x0.8 Washer ……2



Tighten the screws with one sheet of paper inserted between both gears.


16 Rear Suspension

T02092 Ball stud-Long ……2

T02083 M3x8 Screw ……2

T02213 M3x14 Screw ……2

T02055 3x48 Hinge pin Rear inner ……2




Apply threadlock

L/R Assemble both Left and Right


X Must be purchased separately

17 Rear Shock Tower




T02082 M3x10 Screw ……2
T02082 M3x12 Screw ……2
T02082 M3x22 Screw …2

18 Rear Suspension



T02082 M3x10 Screw ……6


19 Rear Suspension



T02093 Ball stud-short ……2
T02034 2x9.8 Shaft ……2
T02100 5x10x4 ball bearing ……4

L/R Assemble both Left and Right
组装左和右

20 Rear Suspension



L/R


T02013 3.1x6x1 Plastic Washer 2
T02057 3x30.5 Hinge pin Rear outer 2
T02057 2.3 E-ring 4

21 Rear Suspension


▶Projection.Note direction

T02029 4.8mm Ball End(Long) 4


T02091 3x54 Turnbuckle 2



Right Upper 1:1 x2



22 Rear Suspension



L/R Assemble both Left and Right

1:1 True-to -scale diagram

x2 Assemble as many times as specified

23 Shock Absorber

T02064/T02065 2.3 E-ring 8

T02096 Shock Piston 4

T02097 2.8x1.9 O-ring 8


T02097 3.1x1 Plastic Washer 4

T02094/T02095 8x1 O-ring 4


T02031 5.8 Ball End 4


T02062 5.8x6 Ball stud 4

Front-Short x2





Rear-Short x2






24 Shock Absorber 避震器





F R x2



Front-Short x2


Rear-Long x2

F/R Assemble both front and rear

x2 Assemble as many times as specified


25 Shock Absorber

Front-Short x2



T02094/T02095 12x1 O-ring ……4

26 Front Suspension



L/R


T02084 M3 Nylon Nut ……2

T02082 M3x15 Screw ……2

x2 Assemble as many times as specified

L/R Assemble both Left and Right

27 Rear Suspension



L/R


T02084 M3 Nylon Nut

.....2

T02082 M3x15 Screw

.....2

28 Front Suspension



T02082 M3x10 Screw


.....6

L/R Assemble both Left and Right

29 Rear Suspension

T02083 M3x10 Screw ……5


T02083 M3x12 Screw ……2



30 Battery Mount / Body Mount


T02083 M3x8 Screw ……4

T02083 M3x10 Screw ……2





31 Steering Servo

Select for your servo




Steering Servo-H(24T) Steering Servo-S(23T)





Sanwa servo



T02030 4.8 Ball End(Short) 2

T02081 3x7x0.8 Washer 4

T02061 Ball stud - silvery 1


T02035 1.5 Servo spacer 2

T02030 M3x10 Screw 1

T02082 M3x8 Screw 4

T02082 M2.6x8 Screw 1


32 Steering Servo



T02083 M3x8 Screw 2


X Must be purchased separately

33 Receiver / ESC



T02213 M3x3 Screw ……1

34 Battery




T02086 Small clip ……4

X Must be purchased separately


35 Wing

T02086 Small clip ……2





36 Tyre

Front x2




Rear x2





After fitting wheels to tyres, apply instant glue as shown.




x2 Assemble as many times as specified

X Must be purchased separately


37 Tyre

T02084 M4 Flanged Nylon Nut




.....4

38 Tyre




Assemble both Left and Right

39 Body




Mask the windows from the inside.



Paint the body shell from the inside using spray colors.

40 Body




T02086 Small clip

.....3


x3 Assemble as many times as specified

Exploded View



Parts list for TC02C off-road buggy - 1

T02203



Rear chassis plate
1pcs


T02204




Rear arm mount-R
1pcs

T02205

Rear shock tower
1pcs




T02206



Rear brace mount
1pcs


T02207

1pcs 1pcs




Differential-L Differential-R

T02208




Motor plate
1pcs

T02211



5x7 Top shaft spacer
1pcs

T02213



M3x27 Screw
8pcs

M3x14 Screw
8pcs


M3x3 Screw
8pcs

T02212



Battery column
4pcs


T02220



Wing
1pcs


T02221

3pcs




Body
1pcs

T02222



Main Chassis plate
1pcs


T02223



Battery plate
1pcs


T02224

1pcs




Motor Mount Column

T02001




80T Spur Gear
1pcs

T02003



28T Spur Gear
1pcs

T02004



52T Gear
1pcs

T02007



M2.5x25 Screw
1pcs




M2.5 Nylon Nut
1pcs




Differential Nut Mount
1pcs

T02008



Front chassis plate
1pcs

T02011




C-type holder L
1pcs




C-type holder R
1pcs

T02012



Steering block-L
1pcs



Steering block-R
1pcs


T02013



3.1x6x1 Plastic Washer
4pcs




Rear hub carriers-L
1pcs



Rear hub carriers-R
1pcs

T02014




Front alight suspension arm mount
1pcs

Rear arm mount-F
1pcs


Rear arm mount-R
1pcs

T02015




Front upper suspension arm mount
1pcs

T02016




Front lower arms
2pcs

T02017




Rear lower arms
2pcs

T02019




Front brace mount
1pcs

T02020



Front shock tower
1pcs

T02023




Servo saver upper
1pcs

Servo saver lower
1pcs


Servo saver - L
1pcs

T02024



Steering Rack
1pcs

T02025




Rear body mount
2pcs

Wing angle shim
2pcs

Wing bracket
2pcs

Battery column
2pcs


T02026



Front bumper
1pcs

Motor guard
1pcs

T02027




Steering Servo horn-F
1pcs

Steering Servo horn-H
1pcs

Steering Servo horn-S
1pcs


T02028



Servo plate
2pcs


Parts list for TC02C off-road buggy - 2

T02029



4.8 Ball End - Long
6pcs

T02030



4.8 Ball End - Short
2pcs



3x10 Screw
1pcs

T02031



Upper cover nylon cap
2pcs




Spring Mount
2pcs



5.8 Ball End
2pcs

T02032




Front rim
2pcs

T02033



Rear rim
2pcs

T02034




Hexagonal
4pcs




2x9.8 Pin
4pcs

T02035




1.0 Servo spacer
2pcs




1.5 Servo spacer
2pcs

T02037




Front hinge pin barce
1pcs

T02038




Slipper pad
2pcs

T02039




Slipper hub
2pcs

T02040



Slipper Spring
1pcs

T02041



Top shaft spacer
1pcs


T02042



4.0 E-ring
2pcs




2x9.8 Pin
2pcs



Front wheel axle
2pcs

T02043



Buffer column-A
1pcs



Buffer Nut
1pcs



Buffer Spring
1pcs




4.0 E-ring
E扣 1pcs



Buffer column-B
1pcs

T02044



3x10 Screw
2pcs




Block Carrier
2pcs



3x7x0.8 Washer
2pcs

T02091



3x54 Adjust Rod
2pcs

T02046



Differential connecting hub - Short
1pcs



Differential connecting hub - Long
1pcs

T02047



Differential Spring
1pcs

T02048




2.37mm Ball
12pcs

T02049



17x23x1 Washer
2pcs

T02050




2.6x6x3 Stop push ball bearing
1pcs

T02051




idler gear shaft
1pcs

T02052



Gear 20T
1pcs

T02053



Pinion Gear 21T
1pcs



3x3 Screw
1pcs

T02054



2.3 E-ring
E扣 4pcs

3x27.5 Hinge pin front outer
2pcs

T02055

3x48 Hinge pin Rear inner
2pcs

T02056

2.3 E-ring
E扣 4pcs

3x34.5 Hinge pin front inner
2pcs

T02057

2.3 E-ring
4pcs

3x30.5 Hinge pin Rear outer
2pcs

T02058

Rear CVD
2pcs

T02092

Ball stud sponge
2pcs

Ball stud-Long
2pcs

T02093

Ball stud sponge
5pcs

Ball stud-Short
5pcs

T02061


Ball stud-Silvery
2pcs

T02062

5.8x6 Ball stud
4pcs


Parts list for TC02C off-road buggy - 3

T02063



5mm Ball stud
4pcs

T02064




3x42.5 Front Shock Absorber Shaft
2pcs



2.3 E-ring
E扣 4pcs

T02065



3x51 Rear Shock Absorber Shaft
2pcs



2.3 E-ring
E扣 4pcs

T02094





12x1 O-ring
2pcs



8x1 O-ring
2pcs



Shock Absorber top cover
2pcs

Front damper case
2pcs




Spring adjuster
2pcs



Shock Absorber below cover
2pcs

T02095



12x1 O-ring
2pcs



8x1 O-ring
2pcs



Shock Absorber top cover
2pcs

Rear damper case
2pcs




Spring adjuster
2pcs



Shock Absorber below cover
2pcs

T02096



Shock piston
4pcs

T02097



3.1x1mm Washer
4pcs




2.8x1.9 O-ring
8pcs




3.5 Press washer
4pcs

T02071




Front Shock Absorber Spring
2pcs

T02072



Rear Shock Absorber Spring
2pcs

T02073




Diaphragm
4pcs

T02074



Rear-tyre
2pcs




Rear-Sponge
2pcs

T02075



Front-tyre
2pcs



Front-Sponge
2pcs

T02098



5x8x2.5 Ball Bearing
6pcs

T02099



10x15x4 Ball Bearing
6pcs

T02100




5x10x4 Ball Bearing
6pcs

T02080



3x6x2.5 Ball Bearing
4pcs

T02081



3x7x0.8 Washer
10pcs

T02084



M4 Flanged Nylon Nut
6pcs



M3 Nylon Nut
6pcs

T02082



2.6x8 Screw
8pcs



3x10 Screw
8pcs



3x22 Screw
8pcs



3x5 Screw
8pcs



3x12 Screw
8pcs



3x25 Screw
8pcs

3x8 Screw
8pcs

3x15 Screw
8pcs

T02083

3x8 Screw
8pcs

3x15 Screw
8pcs

3x10 Screw
8pcs

3x8 Screw
8pcs

T02101

Front Shock Absorber
2 Set

T02102

Rear Shock Absorber
2 Set

T02085

2.3 E-ring
8pcs


4.0 E-ring
8pcs

T02086

Small clip
8pcs

Parts list for TC02C off-road buggy-4


T02087



Double-sided tape
1pcs




Antenna pipe set cover
1pcs




Antenna pipe set
1pcs

Tu0219 OP




C-Type-Holder 25 Degree - L
1pcs




C-Type-Holder 25 Degree - R
1pcs

Tu0222 OP




Front arm mount 1Set

Tu0220 OP




C-Type-Holder 30 Degree - L
1pcs



C-Type-Holder 30 Degree - R
1pcs

Tu0224 OP



Servo mount 2pcs


Tu0225 OP



M2x5 Screw
4pcs




5.1x8x0.2 Washer
4pcs




Hex mount
4pcs

Tu0226 OP




Front hinge pin brace
1pcs

Tu0230 OP




Hard Shock Absorber Spring Set(Blue)

Tu0231 OP




Medium Shock Absorber Spring Set(Red)

Tu0232 OP



Soft Shock Absorber Spring Set(Purple)

Tu0233 OP



Buggy CVD for ae rim
2pcs



1.6x11 Spring Pin
2pcs




Aluminum Washer
2pcs




5.1x8x0.2 Washer
4pcs

Tu0236 OP




Rear hub carriers
2pcs

Tu0237 OP



Rear Hub 1 Degree-L
1pcs




Rear Hub 1 Degree-R
1pcs

Tu0238 OP



Ceramic Ball 2.37mm
12pcs

Tu0240 OP



Carbon Front Shock Tower - Buggy
1pcs

H475 OP





3x3 Screw
1pcs

Aluminium Motor Gear-15T
1pcs

H476 OP





3x3 Screw
1pcs

Aluminium Motor Gear-16T
1pcs

H477 OP





3x3 Screw
1pcs

Aluminium Motor Gear-17T
1pcs

H478 OP





3x3 Screw
1pcs

Aluminium Motor Gear-18T
1pcs

H479 OP





3x3 Screw
1pcs

Aluminium Motor Gear-19T
1pcs

H480 OP





3x3 Screw
1pcs

Aluminium Motor Gear-20T
1pcs

H482 OP





3x3 Screw
1pcs

Aluminium Motor Gear-22T
1pcs

TC02C

SETUP SHEET for the TeamC TC02C

www.teamcracing.net

Driver _____

Track / City _____

Event _____ *Date* ____ / ____ / ____


Conditions

☐ High traction	☐ Smooth	☐ Bumpy	☐ Low traction	☐ Med traction
☐ Clay	☐ Sandy	☐ Soft dirt	☐ Grass	☐ Hard soil
	☐ Wet	☐ Dry	☐ Dusty	☐ Other

Front Suspension

Shock Mounting&Camber link






Camber _____°

Toe-in (+)/Out (-)_____°

Bump Steep Spacer_____


Caster
☐ 25°
☐ 30°





Ride height _____

Front Shocks




Spring(color)
☐ Black
☐ _____

Oil _____ wt

Piston #_____

Rear Suspension

Shock Mounting&Camber link




Wheelbase
☐ Long
☐ Medium
☐ Short



Camber _____°


Normal



Aluminum(Opt)

Ride height _____

Rear Shocks



Spring(color)
☐ Black
☐ _____

Oil _____ wt

Piston #_____

Front Tires&Wheels

Front Tires_____

Inserts_____ Wheels_____

Rear Tires&Wheels

Rear Tires _____

Inserts_____ Wheels_____

Batteries

Servo_____

Esc_____

Batteries_____

Motor

Motor _____

Pinion/Spur_____ /_____

Other

Wing_____

Wing Angle ☐ 4° ☐ 10°

Comments

Notes _____

_____

_____



HOBBYPRO COMPANY LTD.

Flat C-D, 5/F.,

Speedy Ind. BLDG.,

114 How Ming Street,

Kwun Tong, KLN., Hong Kong.

Team C Headquarter

www.teamcracing.net

Team C America

www.teamcamerica.com

Team C Europe

www.teamceurope.com